

L Number	Hits	Search Text	DB	Time stamp
-	453	(370/514).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 10:10
-	549	(370/513,514).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 10:10
-	204400	(bus backbone transmission near line) same (device processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 12:00
-	49	((370/513,514).CCLS.) and ((bus backbone transmission near line) same (device processor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 10:32
-	85936	(common\$ shar\$) same (bus backbone transmission near line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 13:58
-	2008	(370/462,447,445).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 12:05
-	501	((common\$ shar\$) same (bus backbone transmission near line)) and ((370/462,447,445).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 13:56
-	56373	(common\$ shar\$) with (bus backbone transmission near line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 13:10
-	428	((370/462,447,445).CCLS.) and ((common\$ shar\$) with (bus backbone transmission near line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 12:08
-	304	((((370/462,447,445).CCLS.) and ((common\$ shar\$) with (bus backbone transmission near line))) and (message packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 12:16
-	146	(((((370/462,447,445).CCLS.) and ((common\$ shar\$) with (bus backbone transmission near line))) and (message packet)) and code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 12:16
-	50360	(common\$ shar\$) near9 (bus backbone transmission near line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 13:11

-	403	((370/462,447,445).CCLS.) and ((common\$ shar\$) near9 (bus backbone transmission near line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 13:12
-	1	((370/513,514).CCLS.) and ((common\$ shar\$) same (bus backbone transmission near line)) and ((370/462,447,445).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 13:57
-	37885	(common\$ shar\$) same (bus backbone transmission near line) and sequen\$6 and (message data packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 20:57
-	321	((370/462,447,445).CCLS.) and ((common\$ shar\$) same (bus backbone transmission near line) and sequen\$6 and (message data packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 14:02
-	3678	(common\$ shar\$) same (bus backbone transmission near line) same sequen\$6 same (message data packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 14:04
-	44	((370/462,447,445).CCLS.) and ((common\$ shar\$) same (bus backbone transmission near line) same sequen\$6 same (message data packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 14:04
-	324	(common\$ shar\$) same (bus backbone transmission near line) same sequen\$6 same (message data packet) and ethernet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 20:55
-	29	((370/513,514).CCLS.) and ((common\$ shar\$) same (bus backbone transmission near line) and sequen\$6 and (message data packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 15:39
-	13	(common\$ shar\$) same (bus backbone transmission near line) same sequen\$6 same (id identifi\$) same (message data packet) same code and ethernet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 20:55
-	1648	(370/451,452).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 20:50
-	143	((common\$ shar\$) with (bus backbone transmission near line)) and ((370/451,452).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 20:54
-	317	(common\$ shar\$) same (bus backbone transmission near line) same sequen\$6 same (id identifi\$) same (message data packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 21:02

-	41555	(common\$ shar\$) same (bus backbone transmission near line) and sequen\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 20:57
-	1648	((370/451,452).CCLS.) and ((370/451,452).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 20:57
-	2	((common\$ shar\$) same (bus backbone transmission near line) same sequen\$6 same (id identifi\$) same (message data packet)) and ((370/451,452).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 20:58
-	47	(common\$ shar\$) with (bus backbone transmission near line) same sequen\$6 with (id identifi\$) same (message data packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 20:59
-	104	(common\$ shar\$) with (bus backbone transmission near line) same sequen\$6 with (id identifi\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 21:02
-	73	(common\$ shar\$) same (bus backbone transmission near line) same sequen\$6 same (id identifi\$) same (message data packet) same code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 21:22
-	41	4511958.URPN.	USPAT	2004/04/02 06:50
-	2	("5831848").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 07:42
-	1	("5323385").PN.	USPAT	2004/04/02 07:43
-	19	(common\$ shar\$) same (bus backbone transmission near line) same (eom som)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 07:24
-	142	(common\$ shar\$) same (bus backbone transmission near line) same message same length	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 07:55
-	59	(common\$ shar\$) same (bus backbone transmission near line) same message same length and (mobile cel cellular remote wireless)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 07:56
-	23	5323385.URPN.	USPAT	2004/04/05 08:41
-	48	(bus backbone transmission near line) with (eom end adj of adj message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 07:48
-	7	(bus backbone transmission near line) with (eom end adj of adj message) same communica\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 07:55

-	111	(bus backbone transmission near line) and (eom end adj of adj message som) same (data message packet) with length	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 07:57
-	96	((bus backbone transmission near line) and (eom end adj of adj message som) same (data message packet) with length) not ((bus backbone transmission near line) with (eom end adj of adj message))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 07:57
-	96	((bus backbone transmission near line) and (eom end adj of adj message som) same (data message packet) with length) not ((bus backbone transmission near line) with (eom end adj of adj message))) not ((bus backbone transmission near line) with (eom end adj of adj message) same communica\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 08:53
-	5	("4715031" "5001642" "5293571" "5499247" "5856976").PN.	USPAT	2004/04/12 08:12
-	1	6167057.URPN.	USPAT	2004/04/12 08:14
-	0	(message with unique adj code with data) same format same length	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 08:54
-	189	(message with code with data) same format same length	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 08:57
-	36	(message with code with data) same format same length same sequen\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 09:01
-	79	(message with code) same format same length same sequen\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 09:04
-	43	((message with code) same format same length same sequen\$5) not ((message with code with data) same format same length same sequen\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 09:05
-	44	("4525700" "4535450" "4667193" "4701625" "4761646" "4916432" "4918690" "4926375" "4939728" "4947484" "4951029" "4964076" "4969146" "4969147" "4996518" "5117219" "5193152" "5297143" "5475364" "5483222" "5500852" "5513324" "5519878" "5525962" "5539389" "5561769" "5592622" "5625886" "5659292" "6014084" "6075789" "6078415" "6104871" "6122670" "6167057" "6167447" "6252501" "6272135" "6292541" "6320501" "6326880" "6366215" "6598033" "6606028").PN.	USPAT	2004/04/12 09:10
-	398	message same format same length same (distinguish\$3 different distinct)	USPAT; US-PGPUB	2004/04/12 15:12
-	58	message with format with length same (distinguish\$3 different distinct)	USPAT; US-PGPUB	2004/04/12 09:28
-	68703	("370").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 09:28

-	21309	((("370").CLAS.) and "28"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 09:29
-	18	(message with format with length same (distinguish\$3 different distinct)) and ((("370").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 10:02
-	1	(message with no adj data) same code same sequence same id	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 10:05
-	98	(message with no adj data) same code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 10:22
-	42	((message with no adj data) same code) and id	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 10:05
-	31	((((message with no adj data) same code) and id) and sequen\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 10:06
-	1	((((message with no adj data) same id) same code) same sequence	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 10:22
-	3	(message with no adj data) same round adj robin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 10:29
-	10	(send with no adj data) same (round adj robin token adj ring)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:14
-	7	send same message same sequence adj id	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:27
-	1	(message packet) same sequence adj id same no adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:29
-	95	(message packet) same sequence adj id	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:30

-	8	(message packet) with sequence adj id same code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:32
---	---	---	---	------------------